Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(histogram with power with data) and ((point with number with address) same (histogram with bin with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:28
L2	2	(histogram with power with data) and (address same (histogram with bin with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:29
L3	14	(power near2 data) and (convert\$3 with floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:33
L4	2	L3 and (count\$3 with floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:40
L5		(power near2 data) and (count\$3 with floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:43
L6	2	(power near2 data near2 value) and (count\$3 same (floating-point with number)) and (memory with histogram with bin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:44
S1	0	10/737050	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 13:58
S2	12	(power near2 data) and (convert\$3 with floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:32

S3	10	S2 and (address with location with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:17
S4	0	S3 and (histogram with floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 16:49
S5	0	S3 and histogram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:14
S6	1	(power near2 data) and (histogram with floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:43
S7	0	"702"/\$.ccls. and (histogram with floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:34
S8	0	(histogram with floating-point with number) and memory and (CCDE near2 bins)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:20
S9	0	(histogram with floating-point with number) and memory and (CCDF near2 bins)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:20
S10	1	(histogram with floating-point with number) and memory and (CCDF with bins)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:31

	<del>r</del>	T		<del></del>		
S11	1	(histogram with floating-point with number) and memory and CCDF and bins	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:31
S12	18	(power near2 data) and (convert\$3 with floating-point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/26 12:44
S13	14	S12 and waveform	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:48
S14	0	S13 and quadrature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/26 12:48
S15	0	(power near2 data) and (histogram with bins with memory) and (floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 18:19
S16	0	(power near2 data) and (histogram with bins with memory) and (floating with point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:44
S17	0	(power near2 data) and (histogram with bins with memory) and (floatingpoint with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:44
S18	0	(power near2 data) and (histogram with bins) and memory and (floatingpoint with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:44

S19	. 1	(power near2 data) and (histogram with bins) and memory and (floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:49
S20	32	(histogram with bins) and memory and floating-point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:15
S21	2	S20 and waveform	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:48
S22	12	S20 and (floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:50
S23	0	S22 and (count with floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:50
S24	9	S22 and count	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:50
S25	_ 1	(histogram with bins) and ((power near2 data) with waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 17:45
S26	361	(power near2 signal) and (equation with power) and I and Q and in-phase and quadrature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 17:47

	1		<del></del>	ı — — — — — — — — — — — — — — — — — — —	r	<del> </del>
S27	195	S26 and (power near2 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 17:47
S28	4	S27 and (cumulative with distribution with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 17:48
S29	0	((histogram with bins) same (bit near2 width) same equation) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 18:21
S30	0	((histogram with bins) same (bit near2 width) same (maximum with count))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 18:22
S31	3	((histogram with bins) same (maximum with count)) and (bit with width with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 18:23
S32	1	10/737050	US-PGPUB	OR	ON	2005/09/25 13:58
S33	1	S32 and floating-point	US-PGPUB	OR	ON	2005/09/25 14:01
S34	4	(address with histogram with bin with memory)	US-PGPUB	OR	ON	2005/09/25 14:07
S35	2	S34 and (power with data)	US-PGPUB	OR	ON	2005/09/25 14:07
S36	407	(power near2 signal) and (equation with power) and I and Q and in-phase and quadrature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 16:49
S37	1	S36 and (histogram with floating-point with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:26